


Cirion Technologies Perú S.A

Reporte Tasa de Ocupación de Enlaces (TOE)


Septiembre del 2023

NAP Perú
 AS PEER: 263229
 AS CIRION: 3356


Plataform: PTX 10008 (edge1.lim1)
 Interface: et-0/0/28
 Max. Speed: 100 Gbps




Plataform: PTX 10008 (edge2.lim1)
 Interface: et-0/0/23
 Max. Speed: 100 Gbps




Plataform: PTX 10008 (edge1.lim1)
 Interface: et-1/0/27
 Max. Speed: 100 Gbps




Plataform: PTX 10008 (edge2.lim1)
 Interface: et-0/0/24
 Max. Speed: 100 Gbps




Plataform: PTX 10008 (edge1.lim1)
 Interface: et-0/0/25
 Max. Speed: 100 Gbps




Plataform: PTX 10008 (edge2.lim1)
 Interface: et-1/0/20
 Max. Speed: 100 Gbps



Plataform: PTX 10008 (edge1.lim1)
 Interface: et-1/0/28
 Max. Speed: 100 Gbps




Plataform: PTX 10008 (edge2.lim1)
 Interface: et-1/0/21
 Max. Speed: 100 Gbps




PEER: TELECOM_ITALIA
 AS PEER: 6762
 AS CIRION: 3356

Plataform: PTX 10008 (edge1.lim1)
 Interface: et-0/0/27
 Max. Speed: 100 Gbps




Plataform: PTX 10008 (edge2.lim1)
 Interface: et-0/0/20
 Max. Speed: 100 Gbps



PEER: TELXIUS
 AS PEER: 12956
 AS CIRION: 3356

Plataform: PTX 10008 (edge1.lim1)
 Interface: et-0/0/26
 Max. Speed: 100 Gbps



Plataform: PTX 10008 (edge2.lim1)
 Interface: et-0/0/22
 Max. Speed: 100 Gbps

