



## Cirion Technologies Perú S.A Reporte Tasa de Ocupación de Enlaces (TOE) Noviembre del 2023

NAP Perú  
AS PEER: 263229  
AS CIRION: 3356


Plataform: PTX 10008 (edge1.lim1)  
Interface: et-0/0/28  
Max. Speed: 100 Gbps




Plataform: PTX 10008 (edge2.lim1)  
Interface: et-0/0/23  
Max. Speed: 100 Gbps




Plataform: PTX 10008 (edge1.lim1)  
Interface: et-1/0/27  
Max. Speed: 100 Gbps




Plataform: PTX 10008 (edge2.lim1)  
 Interface: et-0/0/24  
 Max. Speed: 100 Gbps




Plataform: PTX 10008 (edge1.lim1)  
 Interface: et-0/0/25  
 Max. Speed: 100 Gbps




Plataform: PTX 10008 (edge2.lim1)  
 Interface: et-1/0/20  
 Max. Speed: 100 Gbps



Plataform: PTX 10008 (edge1.lim1)  
 Interface: et-1/0/28  
 Max. Speed: 100 Gbps




Plataform: PTX 10008 (edge2.lim1)  
 Interface: et-1/0/21  
 Max. Speed: 100 Gbps




PEER: TELECOM\_ITALIA  
 AS PEER: 6762  
 AS CIRION: 3356

Plataform: PTX 10008 (edge1.lim1)  
 Interface: et-0/0/27  
 Max. Speed: 100 Gbps




Plataform: PTX 10008 (edge2.lim1)  
 Interface: et-0/0/20  
 Max. Speed: 100 Gbps



PEER: TELXIUS  
 AS PEER: 12956  
 AS CIRION: 3356

Plataform: PTX 10008 (edge1.lim1)  
 Interface: et-0/0/26  
 Max. Speed: 100 Gbps



Plataform: PTX 10008 (edge2.lim1)  
 Interface: et-0/0/22  
 Max. Speed: 100 Gbps

